

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1600	(clean\$4 or correct\$4 or modif\$6 or edit\$4) near2 ((dirty or corrupt or incorrect or mistaken or false) near2 (data or record or entry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L2	128	L1 and "707"/\$.ccis.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L3	166	L1 and "707"/\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L4	51	L2 and ((query\$4 or select\$4 or find\$4) near2 (record or entry or merchant or object or row or element))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L5	12	(clean\$4 near2 data) and ((key or index) near2 (point\$4 or link\$4) near2 (clean or valid or proper or correct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L6	207	((data or record or entry or information) near2 (match\$4 or query\$4 or selecting)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compare))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L7	141116	(match\$4 compare comparing comparison select\$4) near2 (index key record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L8	607	L7 and (((no not failed failure) near2 (match comparison compare comparison comparing)) same ((add adding added creat\$4 generat\$4 insert\$4) near3 (record entry data key index)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L9	11	L8 and ((iterative\$4 repeat\$4) near2 (clean\$4 adjust\$4 modif\$5 edit\$4 reformat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L10	211	((data or record or entry or information) near2 (match\$4 or query\$4 or selecting)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compared))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16

EAST Search History

L11	112	L7 and ((data or record or entry or information) near2 (match\$4 or query\$4 or selecting)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compare\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L12	211	((data or record or entry or information) near2 (match\$4 or query\$4 or selecting)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compare\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L13	165	L12 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L14	1600	(clean\$4 or correct\$4 or modif\$6 or edit\$4) near2 ((dirty or corrupt or incorrect or mistaken or false) near2 (data or record or entry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L15	116	(iterative\$4 near2 (clean\$4 adjust\$4 modif\$4 format\$4 reformat\$4)) near2 (record entry row data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L16	6	L14 and ((no adj2 (match\$4 compare or comparison or comparing)) (unmatch\$4) (fail\$4 near2 (match\$4 or compare or comparison or comparing))) same ((add adding insert\$4 creat\$4 generat\$4) near2 (entry or record or data or new or another))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L17	149	L14 and ((no adj2 match\$4) (unmatch\$4) failure) same ((add adding insert\$4 creat\$4 generat\$4) near2 (entry or record or data or new or another))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L18	2	L17 and ((data or record or entry or information) near2 (match\$4 or query\$4 or selecting)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compare\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L19	98	(iterative\$4 near2 (clean\$4 adjust\$4 modif\$4)) near2 (record entry row data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L20	13	L13 and ((quality or success or complet\$4 or percentage) near2 (flag or indicator or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16

EAST Search History

L21	51252	(match\$4 compare comparing comparison) near2 (index key record)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L22	508	L21 and (((no not failed failure) near2 (match comparison compare comparison comparing)) same ((add adding added creat\$4 generat\$4 insert\$4) near3 (record entry data key index)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L23	3	L22 and ((iterative\$4 repeat\$4) near2 (clean\$4 adjust\$4 modif\$5 edit\$4 reformat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L24	7	L13 and ((no adj2 match\$4) (unmatch\$4) failure) same ((add adding insert\$4 creat\$4 generat\$4) near2 (entry or record or data or new or another))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L25	110	L7 and ((data or record or entry or information) near2 (match\$4 or query\$4)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compare\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L26	214	L22 and ((clean\$4 adjust\$4 modif\$5 edit\$4 reformat\$4) near3 (record data entry key index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L27	154	((upon on when) near3 (match\$4 comparison)) same ((generat\$4 creat\$4 make making) near3 (index key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L28	0	L27 and (clean\$4 near2 (key index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L29	1	((upon on when) near3 (match\$4 comparison)) same (((generat\$4 creat\$4 make making) near3 (index key)) with ((matched compared) near3 (data input record)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L30	4	L27 and (best near2 (key index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16

EAST Search History

L31	4295	(column attribute) same (record\$4 log logging) same (step routine function) same (key index candidate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L32	236	(key index) with ((timestamp time) with ((recent last) with (use access)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L33	84	(key index) with ((timestamp time) with ((recent last) near3 (use access)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L34	491	(column attribute) with (record\$4 log logging) with (step routine function) with (key index candidate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L35	42	(column attribute) near4 (record\$4 log logging) near4 (step routine function) near4 (key index candidate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L36	2	((generat\$4 creat\$4 make making) near3 (key index)) with (record entry data) with (("near" close substantial potential) near2 match)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L37	25	(index\$4) with (record entry data) with (("near" close substantial potential) near2 match)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L38	2	L36 and (match same index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L39	2	(key index) near3 ((timestamp time) with ((recent last) near2 (use access)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L40	317	(index key) near2 (quality) near2(flag value indicator character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16

EAST Search History

L41	1	(crude near2 (key index)) with (point link associat\$4) with (clean\$4 complet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L42	72	(index key) near4 (contain\$4 includ\$4 consist\$4 compris\$4 has associat\$4) near4 (quality) near4 (flag value indicator character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L43	2	(index key) near2 (quality) near2 (flag)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L44	17	((index key) adj2 (contain\$4 includ\$4 consist\$4 compris\$4 has)) near4 (quality) near4 (flag value indicator character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L45	5158	707/100.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L46	8	L45 and ((data or record or entry or information) near2 (match\$4 or query\$4 or selecting)) same ((fuzzy or "near") near2 (match\$4 or comparing or comparison or compare))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L47	1	L45 and (clean\$4 near2 data) and ((key or index) near2 (point\$4 or link\$4) near2 (clean or valid or proper or correct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L48	693	(index key) near4 (quality) near4 (flag value indicator character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L49	0	((index key) adj (contain\$4 includ\$4 consist\$4 compris\$4)) near2 (quality) near2 (flag value indicator character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L50	19	((unspecific coarse) near2 (key index)) with (point link associat\$4) with (clean\$4 complet\$4 fine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16

EAST Search History

L51	6	(incomplete near2 (key index)) with (point link associat\$4) with (clean\$4 complet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16
L52	17	((index key) adj2 (contain\$4 includ\$4 consist\$4 compris\$4)) near4 (quality) near4 (flag value indicator character)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/24 20:16